

Access Control

GE Security Part Number	Description	Clearance Price (9/22/09)
2718053	Print Test Card, .053 Thick Badge Style, White Gloss Both Sides, 100/Lot	25.00
110143501	Webcast 8 In/Out PCA	150.00
300353110	Power Supply, 6AMP, 12VDC, 110V, Viper	200.00
300353220	Power Supply, 6AMP, 12VDC, 220V, Viper	200.00
300377001	Power Supply & Battery Back-Up, 6-Amp, 110/220VAC, FCC, CE Listed, 7-Ah Battery	200.00
300380501	Ethernet Switch POE, Midspan, 16-Port, 15.4W Per Port	650.00
405054001	Print Test Card for .030" Thick Style Badge, White Gloss Both Sides, 500/Lot	65.00
420171012	Imagecard-II / III & Express, YMCK-T Ribbon, 135 Images (Mandatory for Use w/All Holographic Overlays)	40.00
420171016	Imagecard Express Cleaning Cards, 10/Lot	5.00
420267001	Magicard Sicura Laminator, 1 Mil Clear Overlay, 250 Images	75.00
430183001	Model 260, Contactless (ISO 15693 / 14443A Mifare Compatible) Medium Read-Range Reader, SF/2F, Gray	925.00
5365EGT00	MiniProx® Proximity Reader, 5-16VDC, Wiegand Output, Charcoal w/Terminal Strip	105.00
ACU-LANUL	UL-Approved LAN Surge Protector for RS and XL Series ACU	100.00
IGP-P310CE	Eltron P310Ce, Photo Printer w/Hi-Coercivity Magstripe Track 2 Encoder	2,000.00
IGP-P420C	Eltron P420C, Photo Printer, Edge to Edge, Dual Sided	2,300.00
IGR-VFLEX	Bioscrypt V-Flex Fingerprint Verification Unit for Use w/Wiegand Output Based Readers, 12-24VDC, Wiegand/RS232/RS485 Interfaces, 4000 Template Storage	500.00
IGR-VPROX	Bioscrypt V-Prox Fingerprint Unit w/Integrated HID Prox Reader, 12-24VDC, Wiegand/RS232/RS485 Interfaces, 4000 Template Storage	600.00
VIB-NP 135540	Video Badging System w/o Dye Sublimation Printer	1,500.00

Fire & Life Safety

GE Security Part Number	Description	Partner List	Clearance Price (9/22/09)
Advent Fire			
60-562-01	Advent Commercial 250-Zone Panel: 8 Standard Hardwire Zones; Expandable to 250 Hardwire Zones. 132 Wireless Zones w/Addition of the Transceiver Module	938.00	469.00
60-562-02	Advent Home Navigator 132-Zone Panel: 8 Standard Hardwire Zones; Expandable to 132 Hardwire Zones. 132 Wireless Zones w/Addition of Optional Transceiver Module	603.00	331.65
60-562-03	Advent Commercial Fire 250-Zone Panel: 8 Standard Hardwire Zones; Expandable to 250 Hardwire Zones. 132 Wireless Zones w/Addition of Optional Transceiver Module. Maximum of 250 Wireless Zones for Part Numbers 60-849-02-95 and 60-917-95 Only. 132 Wireless	1,114.00	612.70
60-562-04	Advent Commercial 132-Zone Panel: 8 Standard Hardwire Zones; Expandable to 132 Hardwire Zones. 132 Wireless Zones w/Addition of the Transceiver Module	670.00	368.50
60-562-05	Advent Home Navigator 250-Zone Panel: 8 Standard Hardwire Zones; Expandable to 250 Hardwire Zones. 132 Wireless Zones w/Addition of Optional Transceiver Module	875.00	481.25
60-562-06	Advent Commercial Fire 132-Zone Panel: 8 Standard Hardwire Zones; Expandable to 132 Hardwire Zones. 132 Wireless Zones w/Addition of Optional Transceiver Module, Red Cabinet	766.00	421.30
60-767	24V Smoke Loop Expansion SnapCard: Enables the Addition of 24V, 2-Wire Smoke Detectors to the Commercial Fire Panel. Transformer (Part Number 60-823 or 60-830) and Backup Battery (Part Number 60-781) Sold Separately	145.00	79.75
60-768	SuperBus 2000 Advent Dual Phone Line Module: Switches Event/Alarm Reporting Between 2 Phone Lines in the Event of Line Failure	73.00	40.15
60-803-01	SuperBus 2000 Advent LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Liquid Crystal Display. Not UL Listed for Fire Applications	164.00	82.00
60-810-04	SuperBus 2000 Commercial Fire VFD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2x20 Vacuum Fluorescent Display. Swing-Out Door Covers Seldom-Used Buttons	303.00	151.50
60-849-02-95	ESL 570 Series Advent Wireless Crystal Smoke Sensor: Only Compatible w/The Advent Line of Panels. Photoelectric Smoke w/Field Replaceable Optical Chamber and CleanMe Self-Diagnostics Feature. Includes Fixed Temperature/Rate Of Rise Heat Detector.	106.00	42.40
60-856-95	Commercial Fire Radio Transceiver Module: Red Metal Housing. 3500' Typical Open Air Range. Up to 5 Transceivers Can Be Added to an Advent System. Compatible w/Crystal Sensors Only	319.00	159.50
60-917-95	Crystal Universal Fire Transmitter, Advent Commercial Fire: The Universal Fire Transmitter (UFT) is a Supervised, Wireless, Encrypted Learn Mode Sensor that Adds Wireless Capability to a Standard Hardwire Fire Detection Device. Compatible w/Advent Commercial	70.00	28.00

Fire & Life Safety

GE Security Part Number	Description	Partner List	Clearance Price (9/22/09)
NetworX Fire			
EOL33	3.3K EOL Resistor w/ Leads (UL Listed)	1.12	0.56
NX-003-CF	Red Commercial Enclosure for NX-8-CF and NX-8E-CF	79.00	39.50
NX-148E-CF	Red Alphanumeric LCD Keypad, 6.2" W x 5.3" H x 1.3" D. Swing-Down Removable Door Conceals Controls for Commercial Fire Use	122.00	48.80
NX-148E-CF-W	White Alphanumeric LCD Keypad, 6.2" W x 5.3" H x 1.3" D. Swing-Down Removable Door Conceals Controls for Commercial Fire Use Only	122.00	48.80
NX-208E-CF	Two-Wire Smoke Sensor Expander Module the NX-208E-CF is a Microprocessor Controlled 2-Wire Smoke Expander for the NX-8-CF and NX-8E-CF Control Panels. One NX-208E-CF Module Can Be Added to the NX Control Panel w/a Maximum-Zone Count of 8-Zone	86.00	43.00
NX-216E-CF	16-Zone Expander Module for Commercial Fire, NX-8E Microprocessor Controlled 8-16-Zone Hardwire Expander Module for the NX-8E. Maximum-Zone Count of 192. Can Be Mounted Up to 2500' From the Control Panel	77.00	30.80
NX-2192E-CF	Pinpoint Interface Card Attaches to the NX-8E-CF Control Panel. Supports Up to 192 Addressable Devices On a Two-Mile Loop. Supports Two Class B Loops and One Class A Loop for Commercial Fire	69.00	27.60
NX-320E-CF	Smart Power Supply and Bus Extender Remote Power Supply for Comm Fire w/Hardwire transformer. 3 Programmable Outputs and 1 Dedicated Bell Output. Allows a Longer Data Bus Wire Run and Gives More Power to the Panel (Panel Limits Apply)	85.00	34.00
NX-507E-CF	Seven Relay Expander Module 7 Relay Outputs, 1 Open Collector Output and 8 X10 Outputs for Commercial Fire	76.00	30.40
NX-590E-CF	Network Module the NX-590E-CF Network Ethernet Module and Osborne-Hoffman Network Receiver Provide a New Level of Speed, Supervision and Email Communication to the NX Control Panel LineVia Broadband and Internet Monitoring for Commercial Fire	275.00	110.00
NX-870E	Fire Supervision Dual Dialer Module Facilitates the Connection of 2 Phone Lines to the Control Panel. Also Provides a Supervised Bell Output	72.00	28.80
NX-8-CF-KIT-RW	Commercial Fire Kit w/Red and White Keypads Includes NX-8-CF Fire Panel, NX-870E Fire Supervision Dual Dialer Module, 16.5V, 50VA Transformer, (1) NX-148E-CF Red Touchpad and (1) NX-148E-CF White Touchpad	330.20	181.61
NX-8E-CF	NetworX Fire Panel Includes Control Panel, NX-870E Fire Supervision Dual Dialer Module, 16.5V, 50VA Transformer, Red Commercial Enclosure	304.00	121.60
NX-8E-CF-BO-FG	NX-8e-CF Board Only	134.00	67.00
NX-8E-CF-KIT	Commercial Fire Kit w/2 Keypads Includes NX-8E-CF Fire Panel, NX-870E Fire Supervision Dual Dialer Module, 16.5V, 50VA Transformer, (2) NX-148E-CF Red Touchpads	481.00	192.40
NX-8E-CF-KIT-RW	Commercial Fire Kit w/Red and White Keypads Includes NX-8E-CF Fire Panel, NX-870E Fire Supervision Dual Dialer Module, 16.5V, 50VA Transformer, (1) NX-148E-CF Red Touchpad and (1) NX-148E-CF White Touchpad	481.00	264.55

Intrusion

GE Security Part Number	Description	Clearance Price (9/22/09)
1125W#-NBCBP	Recessed Stubby fit recessed magnetic contact	29.13
1145WM-5ZIP10PKG	Switch, Surface Mount, Ultra Mini, Closed Loop, Wide Gap, 5' Zip Wire, Mohogany	11.75
1946N-BP	Magnet, 1125 Series, White	27.57
2707AD-L17	2707AD W/ 30 FT Armored Cable	221.76
3005-N	Recessed Roller Plunger Contact w/Wire Leads, White, Works as a Plunger or Ball Switch; Flanges for Positive Retention. Includes Spacer and Mounting Screws. Versatile; Three Different Mounting Configurations. 1', #22 Wire Leads. Closed Loop. UL Listed.	0.85
600-1032-95R	Roundpad Keychain Touchpad w/ Bezel	16.18
60-460-319.5	Crystal 135° Rate-of-Rise Heat Sensor w/Alkaline Battery: Responds to High Temperatures or Rapid Temperature Changes. Activates When Temperature Increases 15° F/Minute or Greater. Fixed Temperature Sensor Activates At 135° F. Alkaline Battery Included	25.00
60-804-03	SuperBus 2000 Ultragard VFD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Vacuum Fluorescent Display. Allows for On-Site Installer Programming	137.51
60-861	SuperBus 2000 Wireless Gateway Module: Provides the Ability to Control and Monitor Concord Commercial (Version 3.0 or Later) Using an Internet Web Site	155.93
60-924-3	Simon 3 Touchtalk Two-Way Talking Touchpad: Integrated Two-Way RF Signal Verification. Provides Operational Control Of The Panel. Not Compatible W/Simon 2.0 Or Simon 1.0. Batteries Included	29.95
60-984	ATP2600 Flip Top Alphanumeric LCD Touchpad	27.27
618703-N	3V Wireless - Outdoor/Industrial - Incl. Transmitter Box	172.56
80-731	ADT Concord Express Wireless SAW Package F9: Control, Battery, Line Carrier Transformer, Phone Cord, RJ31X Jack, Video, Owner's Manual, (5) 60-670-95R SAW Door/Window Sensors	160.65
80-964-4-CN	Concord 4: SB2000 Fixed English Touchpad and Transformer	70.55
AL-1103	LCD Keypad, 2-Line	65.60
AL-1440-50PKG	HID ProxCard II, 50-Pack	79.20
HCP12SUL	Power Supply, High Current, Board Only, High Current Switching Power Supply/Recharger w/12VDC Output. Board Only. Maximum Output of 1.75AMPS. UL Listed	60.99
NX-1248E	192-Zone LCD Keypad w/Night Feature and Door 5.4" W X 5.5" H X 1.0" D. Swing-Out Door Conceals Controls. Away/Stay/Night Modes. Currently Only Compatible w/NX-8E, White	69.41
TX-3030-01-1	DesignLine 4-Button Flat Wall TX/RF Touchpad, White	16.40
Osborne Hoffman		
OH2000E-LC	OH2000/OH2000E Line Card (2 Lines)	551.60
OH2000E-RO-110	OH2000E Receiver Only No Line Card, 110VAC	1,743.50
OH2000E-RO-220	OH2000E Receiver Only No Line Cards, 220VAC	1,585.00

Structured Wiring & Connected Home

GE Security Part Number	Description	Clearance Price (9/22/09)
CC-AC0601	EZ Connector, Cat 6 Modularplug (Bag of 50)	23.15
CC-AC1003	75 Ohm Terminators for Unconnected Coax Runs, 100-Pack	12.90
CC-AS5250	5.25" In-Ceiling Speakers: Pair of Round 5.25", 2-Way, 8ohm In-Ceiling Speakers	23.89
CC-AS6501	6.5" In-Wall Speakers: Pair of Rectangular 6.5", 2-Way, 8ohm In-Wall Speakers	31.85
CC-CA0202	Color Outdoor Camera: Outdoor Color Camera - Modulated, Does Not Require a Separate Modulator	152.21
CC-CE0010-I	Cat 5e Jack Used w/Either Connection Plates or Decorator Connection Plates, Ivory	1.15
CC-COBRAC	Universal Concord Security Bracket	2.52
CC-COCOVR	Cover for Concord Universal Bracket	4.99
CC-CS1000	Coax Surge Module: Coax Surge Suppression Unit, Which Protects Video Equipment from Surges on the CATV or Satellite Cable	18.37
CC-CX0010-A	Coax Jack Used w/Either Connection Plates or Decorator Connection Plates, Almond	0.83
CC-CX0010-I	Coax Jack Used w/Either Connection Plates or Decorator Connection Plates, Ivory	0.83
CC-CX0010-W	Coax Jack Used w/Either Connection Plates or Decorator Connection Plates, White	0.83
CC-DK0020-C	20" Champagne Door Kit. Premium Series Door Kit (Trim Ring and Door) for 20" Smart ConnectionCenter w/Powder-Coat Finish	31.42
CC-DP8008	GE Modular 8 Data Patch Panel	13.13
CC-DS0004	Data Surge Module: Data Surge Module, Which Protects Your Networking Equipment and Computers from Surges on the Network	30.56
CC-DS1006	1x6 DSL Filter Module. Provides DSL Filtering for 6 Phone Lines Inside ConnectionCenter	14.88
CC-FC8008	F-Connector Cross-Connection Plate. Coaxial Cable Pass-Through Connectors to Land Coax Until the Correct Video Splitter or Amplifier is Determined	3.86
CC-HD4480	HDTV Multiswitch: HDTV Satellite Multiswitch for 4 LNB-Dishes. 4 Satellite Inputs, 4 Combined Inputs and 8 Outputs. Cable Modem, HDTV and CATV Ready	137.82
CC-MP0006	6-Module Panel for Use in Premium Series Smart ConnectionCenter Only	7.61
CC-MP0012	12-Module Panel for Use in 37" Premium Series Smart ConnectionCenter Only	15.88
CC-NX0008	GE ConnectionCenter Kit: NX-8-BO-FG, NX-1448E Keypad, T-0001 Transformer, B-1245 Battery, NX-CA-SL PCB Guide	26.69
CC-NXBRAC	Universal Network Security Bracket	1.89
CC-PS2060	12V 60W Power Supply	36.38
CC-SCAMP4	Audio Amplifier, 4 Source, 4-Zone	199.50
CC-SCAMPX	Audio Amplifier, 4-Zone Expander	189.00
CC-SCDOR1	Outdoor Door Station	44.53
CC-SCHUB8	Intercom HUB, 8-Zones, 2 Doors	103.95
CC-SCKIT4	SmartCom 4-Room Station Kit	822.09
CC-SCLCD1	LCD Touchscreen 5-In-One, 12V	250.43
CC-SCLCD1-ECO	ECO dashboard SmartCommand TouchScreen	255.00
CC-SCMDR1	Hub, 12V	202.13
CC-SCMDR1-ECO	ECO Dashboard Smart Command Hub	220.00
CC-SCRCA2	Audio Source Input Jack, Dual	34.13
CC-SCRS01	Intercom and Audio Room Station	88.20
CC-SCRS01-A	Intercom and Audio Room Station, Almond	126.00

Structured Wiring & Connected Home

GE Security Part Number	Description	Clearance Price (9/22/09)
CC-SCRS01-B	Intercom and Audio Room Station, Black	126.00
CC-SCSTAT	Thermostat Display and Control, 24VAC	173.25
CC-SCSTAT-ECO	Thermostat (ECO)	195.00
CC-TK0006	Telephone KSU Module. Used w/a Panasonic KSU System. Provides 6 Panasonic Telephone Outputs	30.21
CC-TP2001	KSU 6 Extension Adapter Cable for the Telephone KSU Module	25.91
CC-TP8008	GE Board 4x8x8 Port Voice (RJ45 to 110)	11.82
CC-VA1004	1x4 Video Amplifier: 1x4 Video Amplifier Used in Basic Series Smart ConnectionCenter. 22 dB Gain	15.22
CC-VA1160	High Quality 16 way Amplifier	125.02
CC-VA1650	8X6 Video Amplifier w/Stacker	198.45
CC-VA1800	High Quality 8 Way Amplifier	49.61
CC-VA1850	1x8 High Performance Video Amplifier (w/Faceplate): 1x8 High Performance Video Amplifier Used in Premium Series Packages w/360° Coax Connectors for Higher Quality and Better Connection	57.88
CC-VA8008	1x3x8x8 High Performance Video Distribution Amplifier: High Performance Video Amplifier Used in Premium Series Only. Provides 1 CATV Input, 3 High-Pass AUX Inputs, 8 Combined Inputs and 8 Amplified Video Outputs	69.13
CC-VA8850	8X8 Video Amplifier w/Stacker	82.69
CC-VS0020	20" Value Series Package: 20" Enclosure, 1x4 Video Splitter, 1x6 Telephone Punch-Down Distribution Module and Flat Cover. Ships	27.23
CC-VS1008	1x8 Video Splitter: 1x8 Video Splitter Used in Basic Series Bronze Smart ConnectionCenter, Shelf Mount	6.50

Video

GE Security Part Number	Description	Clearance Price (9/22/09)
0110-D500-T04	DVMRE-10CT-1T, 10-Channel, 1000GB, Triplex, NTSC/Pal, F/W	1,427.11
0110-D500-T12	DVMRE-10CT-600, 10-Channel, Dual, 600GB, NTSC/Pal, F/W	1,097.82
0110-D500-YA9SB	SDVR-10A-160SB, 10-Channel, StoreSafe Advanced, 160GB, Starbucks	967.47
A0006A502-RFB	Refurbished, CyberDome, Pan/Tilt, 22x, B/W, NTSC	199.00
DIGIA204-160-RFB	Digia II 4-Channel MPEG-4 DVR, 160GB HDD	347.50
DIGIA209-160-RFB	Digia II 9 CH MPEG-4 DVR, 160GB HDD	575.00
DIGIA216-320-RFB	Digia II 16-Channel MPEG-4 DVR, 320GB HDD	747.50
DVMRE-4CTII-1200	4-Channel Color Triplex Multiplexer/Recorder w/WaveJet, 1200GB HDD, Ethernet, NTSC/Pal	1,384.37
DVMRE-4CTII-1200-C	4-Channel Color Triplex Multiplexer/Recorder w/WaveJet, 1200GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	1,836.37
DVMRE-PRO16-80DVD	16-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro	1,829.36
DVMRE-PRO16-80DVDC	16-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405 Keypad	2,281.36
KLC-15HS	15-inch High-Resolution LCD Monitor w/Audio	229.00
KTC-2000DN-X	Day/Night, High Resolution, 480 TVL, 0.1 Lux in Color Mode, 570 TVL, 0.01 Lux in B/W Mode, Pal	119.00
KTC-209CV3A	380 TVL Camera w/Integrated 3mm - 8mm AI Lens	49.00
KTC-540E	B/W, High-Resolution, ExView, 600 TVL, 0.01 Lux	79.00
KTC-810C	Color, 380 TVL, 0.5 Lux	79.00
MVC-21S	21-inch Color Monitor, On-Screen Display, Audio Amplifier w/Speaker	200.00